



DECLARATION OF PERFORMANCE

GENABLE™ CONCRETE BD 3151

Hardening accelerating admixture according to EN 934-2 (Table 7)

1. PRODUCT TYPE: UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:

Genable™ Concrete admixture (Product code BD3151)

2. TYPE BATCH OR SERIAL NUMBER OR ANY OTHER ELEMENT ALLOWING IDENTIFICATION OF THE CONSTRUCTION PRODUCT AS REQUIRED UNDER ARTICLE 11(4):

Genable™ Concrete BD 3151 (Batch No. see packaging / delivery documents)

3. INTENDED USE OR USES OF THE CONSTRUCTION PRODUCT, IN ACCORDANCE WITH THE APPLICABLE HARMONISED TECHNICAL SPECIFICATION, AS FORESEEN BY THE MANUFACTURER:

Hardening accelerating admixture according to EN 934-2 (Table 7)

4. NAME, REGISTERED TRADE NAME OR REGISTERED TRADE MARK AND CONTACT ADDRESS OF THE MANUFACTURER AS REQUIRED UNDER ARTICLE 11(5):

Universal Matter GBR Ltd
Wilton Centre
TS10 4RF
United Kingdom

5. CONTACT ADDRESS: WHERE APPLICABLE, NAME AND CONTACT ADDRESS OF THE AUTHORISED REPRESENTATIVE WHOSE MANDATE COVERS THE TASKS SPECIFIED IN ARTICLE 12(2):

Not relevant (see 4)

6. AVCP: SYSTEM OR SYSTEMS OF ASSESSMENT AND VERIFICATION OF CONSTANCY OF PERFORMANCE (AVCP) OF THE CONSTRUCTION PRODUCT AS SET OUT IN CPR, ANNEX V:

System 2+



7. NOTIFIED BODY (HEN): IN CASE OF THE DECLARATION OF PERFORMANCE (DOP) CONCERNING A CONSTRUCTION PRODUCT COVERED BY A HARMONISED STANDARD:

0770
Notified factory production control certification body No. 0770 performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control and issued the certificate of conformity of the factory production control (FPC):

8. NOTIFIED BODY (ETA): IN CASE OF THE DECLARATION OF PERFORMANCE CONCERNING A CONSTRUCTION PRODUCT FOR WHICH A EUROPEAN TECHNICAL ASSESSMENT (ETA) HAS BEEN ISSUED:

Not relevant (see 7)

DECLARED PERFORMANCE

ESSENTIAL CHARACTERISTICS

PERFORMANCE

HARMONISED TECHNICAL SPECIFICATION

WATER-SOLUBLE CHLORIDE ION CONTENT

Max 0.015 % by mass

EN 934-1:2008-04, Table 1, Row 8 / EN 480-10:2010-01, Method 3

TOTAL CHLORINE

Max 0.015 % by mass

EN 934-1:2008-04, Table 1, Row 7 / EN ISO 1158:1998-06, Method A

ALKALI CONTENT (NA₂O EQUIVALENT)

Max 20 % by mass

EN 934-1:2008-04, Table 1, Row 9 / EN 480-12:2005-12

COMPRESSIVE STRENGTH (EQUAL CONSISTENCE)

At 20°C and 24h: test mix ≥ 120% of control mix
At 20°C and 28 days: test mix ≥ 90% of control mix
At 5°C and 48h: test mix ≥ 130% of control mix

EN 934-2:2012-08, Table 7 / EN 12390-3:2019-10



DECLARED PERFORMANCE

ESSENTIAL CHARACTERISTICS

PERFORMANCE

HARMONISED TECHNICAL SPECIFICATION

AIR CONTENT IN FRESH CONCRETE (EQUAL CONSISTENCE)

Test mix \leq 2% by volume above control mix

EN 934-2:2012-08, Table 7 / EN 12350-7:2022-05

CORROSION BEHAVIOR

No corrosion-promoting effect

EN 934-1:2008-04, Table 1, Row 10 / EN 480-14:2026 (D)/ EN 1961:2016 (D)

DANGEROUS SUBSTANCES

NPD

EN 934-2:2012-08, Table ZA.1

Declared performance is based on Initial Type Testing (ITT) and ongoing Factory Production Control in accordance with EN 934-6. ITT reference: Kiwa GmbH MPA Berlin-Brandenburg, Test report no. P000499824, dated 27.10.2025

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.



DECLARATION

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance (DoP) is issued under the sole responsibility of the manufacturer identified in point 4.

NAME

Andy Gent

FUNCTION

Managing Director UK & EU

DATE

17/02/2026

SIGNATURE



Legal note: This information is given in good faith based on UMGBR current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with UMGBR recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. UMGBR reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.